

WEBSITE : WWW.ATAUFFHYDRAULIC.COM

COMPANY PROFILE

ATAUFF
HYDRAULIC STORE

CONTACT DETAILS

PHONE NUMBER

+91-7203049088

+91-9737259888

EMAIL ID

INFO@ATAUFFHYDRAULIC.COM



ADDRESS : SHOP-1, MADHAV EASTE, NR.ATCO MARBLE, GIDC, NARODA, AHMEDABAD – 382330 GUJARAT, INDIA



About us :-

We “ATAUFF” started our new startup in Naroda Ahmedabad, Gujarat (India), with our small amount Of saving fund with vision to become the most assuring manufacture and Supplier in the Hydraulic Industry. We are striving to play our best part in supply of next generation material handling Products such as Hydraulic Ball valve, Needle Valves, Hydraulic Check Valves , Flow Contols Valves (D. R. V) and Direction valves (D.V) all types of Hydraulic Fittings.

We always want to do well by our clients: we care about their reputation as much as we do about Ours. This is partly professional pride, partly personal ethics. Doing a good job really matters to us. We are keen to provide good quality of efficient products which have unmatched performance Attributes. The cost effectiveness of our products has a competitive edge over other market players.

Vision :- We at ATAUFF has vision to be a single point solution for our customers.

Mission :- We are gradually developing our product range with latest technology and improving quality control System.

Manufacturing Capabilities :- Our manufacturing system has constantly adapted to the changing market demands. We have best-In-class machines to back our production unit. Our dedicated team of professionals are well versed With various aspects of production. Our skilled personnel work with professionalism to ensure customer satisfaction.

Customer Focus :- ATAUFF Hydraulic has always focused on the customer by offering the best quality and cost effective Products in the field of high pressure hydraulic range. Feedback from customers has enabled us to Innovative in the field of high pressure hydraulic range.

Quality Policy :- ATAUFF Hydraulic is committed to manufacturing and supplying high pressure hydraulic range in Compliance with international standards. All our products undergo rigorous inspection processes



Before they are released for distribution. Our team of experts maintain a vigil on the entire range of Products. We review and continually improve the effectiveness of our quality management system By involving all personnel as well as our suppliers. This quality policy is periodically reviewed to Ensure best quality to our customers.

Infrastructure :- **ATAUFF** Hydraulic-located in Naroda Ahmedabad has expanded manufacturing unit in Naroda Ahmedabad. We have latest CNC machine and manufacturing facilities are at par with global Manufacturing standards and are well equipped with state-of-the-art equipment, machinery and Testing facilities.



Hydraulic Ball Valves :-



Specifications :-

1. Type : Ball Valve KHB 2Way
2. Body: Block
3. Material: 1.0737
4. Ball Seats: From DN4 up to DN25
5. O-Rings: NBR, FKM, EPDM, MVQ
6. Operating Pressure: 500 Bar depending on valve size and seal materials selected
7. Temp. Range: -10 c to +100 c depending on seal material selected



Needle Valves:-



Specifications:-

1. Type: needle valve NV
2. Body: Square
3. Material: 1,0570/1,4301
4. Ball Seats: from DN6 up to DN40
5. Operating pressure:53000(210 Bar) 56000(350 Bar) depending on valve size and seal Materials selected
6. Temp. Range: -20 c to +100 c depending on seal material selected



Hydraulic Check Valves:-



Specifications:-

1. Type: Check valve CV
2. Body: exagone
3. Maaterial: 1,0737/1,4749
4. Ball seats: from ¼ to 2”
5. Operating pressure: PN500
6. Temp. Range: -10 c to +100 c depending on seal material selected



Flow Controls Valves (D.R.V) :-




Specifications :-

1. 5000 psi operating Pressure
2. 8 Sizes, 1/8" - 1-1/2"
3. SAE O-Ring, NPT or BSPP Threaded Connections; Manifold Mounting; and Cartridge Type
4. Flows to 80 gpm
5. Carbon steel housing
6. FPM (Fluoroelastomer) O-Rings (standard)
7. Color coded spindle for accurate flow control
8. Provision for panel mounting
9. Unique safety spindle design
10. Temperature Range: -4° to 212°F at full pressure
11. Size 16 and under, zinc plated
12. Size 20 and up, phosphate



Direction valves (D.V) :-



Specifications:-

1. 5000 psi operating Pressure
2. 8 Sizes, 1/8" - 1-1/2" • SAE O-Ring, NPT or BSPP Threaded Connections; Manifold Mounting; and Cartridge Type
3. Flows to 80 gpm
4. Carbon steel housing
5. FPM (Fluoroelastomer) O-Rings (standard)
6. Color coded spindle for accurate flow control
7. Provision for panel mounting
8. Unique safety spindle design
9. Temperature Range: -4° to 212°F at full pressure
10. Size 16 and under, zinc plated
11. Size 20 and up, phosphate



Hydraulic Pipe Fittings :-

Hydraulic fittings are parts used to connect hoses, pipes, and tubes in hydraulic systems. Hydraulic Equipment generally operates under high pressures and is often not a Fixed system. Consequently, Hydraulic fittings need to be strong, versatile, and reliable to operate safely and effectively in their Respective applications.



Hydraulic Tube Fittings :-

Hydraulic fittings are parts used to connect hoses, pipes, and tubes in Hydraulic systems. Hydraulic Equipment generally operates under high pressures and is often not a fixed system. Consequently, Hydraulic fittings need to be strong, versatile, and reliable to operate safely and effectively in their Respective applications.



Quick Relies Coupling:-



Specifications:-

1. High-quality quick-action coupling made of steel, stainless steel, brass or plastic for practically every application contingency
2. Very robust, rapid and secure coupling of practically all fluid media. Special solutions for your application needs can also be implemented upon

request.

3. Variants:

4. flat-sealing (leakage-free), cone-sealing or ball-sealing
5. with or without check valve
6. Plug-in or screw coupling
7. Bulkhead, pipe, hose or block integration
8. optional with dust cap, dust plug
9. optional with additional pressure relief (coupling under residual pressure)
10. Materials available for shipment:
11. Galvanised steel / zinc-nickel
12. Stainless steel 1.4571
13. Brass
14. Plastic
15. Choice of seals made of:
16. NBR
17. FKM (Viton)
18. EPDM



PHONE : 91-7203049088

EMAIL ID : INFO@ATAUFFHYDRAULIC.COM

CONTACT


CONTACT DETAILS

PHONE NUMBER

HITESH PATEL VIPUL PATEL
91-7203049088 91-9737259888

EMAIL ID

INFO@ATAUFFHYDRAULIC.COM



ADDRESS : SHOP-1, MADHAV EASTE, NR.ATCO MARBLE, GIDC, NARODA, AHMEDABAD – 382330 GUJARAT, INDIA

Address : Shop No.1, Madhav Estate, Nr. Atco Marble, GIDC, Naroda, Ahmedabad
Email Id : info@atauffhydraulic.com
Phone : Hitesh Patel : + 91-7203049088 Vipul Patel + 91-9737259888



Thank
You!



ADDRESS : SHOP-1, MADHAV EASTE, NR.ATCO MARBLE, GIDC, NARODA, AHMEDABAD – 382330 GUJARAT, INDIA

